

*Rev 8/79*

## IBM System/370 EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSORS AND MAIN STORAGE</b>				
3115	Processing Unit (for Model 115 system):			
	Model F; 65,536 bytes	122,150	309.00	3,235
	Model FE; 98,304 bytes	125,650	314.00	3,380
	Model G; 131,072 bytes	129,150	319.00	3,525
	Model GE; 163,840 bytes	132,650	326.00	3,670
	Model GF; 196,608 bytes	139,600	337.00	3,950
3115-2	Processing Unit (for Model 115-2 system):			
	Model F2; 65,536 bytes	160,250	362.00	4,250
	Model FE2; 98,304 bytes	163,750	368.00	4,395
	Model G2; 131,072 bytes	167,250	373.00	4,540
	Model GE2; 163,840 bytes	170,750	378.00	4,685
	Model GF2; 196,608 bytes	174,250	383.00	4,830
	Model H2; 262,144 bytes	181,250	394.00	5,120
	Model HG2; 393,216 bytes	199,150	420.00	5,805
3125	Processing Unit (for Model 125 system):			
	Model FE; 98,304 bytes	201,650	382.00	5,355
	Model G; 131,072 bytes	205,150	387.00	5,500
	Model GE; 163,840 bytes	208,650	394.00	5,645
	Model GF; 196,608 bytes	212,150	399.00	5,790
	Model H; 262,144 bytes	219,150	411.00	6,080
3125-2	Processing Unit (for Model 125-2 system):			
	Model FE2; 98,304 bytes	227,050	429.00	6,030
	Model G2; 131,072 bytes	230,550	435.00	6,175
	Model GE2; 163,840 bytes	234,050	440.00	6,320
	Model GF2; 196,608 bytes	237,550	446.00	6,465
	Model H2; 262,144 bytes	244,550	457.00	6,755
	Model HG2; 393,216 bytes	262,450	484.00	7,440
	Model I2; 524,288 bytes	276,450	506.00	8,020
3135	Processing Unit (for Model 135 system):			
	Model FE; 98,304 bytes	316,000	552.00	6,355
	Model GD; 147,456 bytes	365,500	587.00	7,370
	Model GF; 196,608 bytes	415,000	622.00	8,385
	Model H; 262,144 bytes	466,500	731.00	9,740
	Model HF; 327,680 bytes	500,250	791.00	10,440
	Model HG; 393,216 bytes	534,000	851.00	11,140
	Model I; 524,288 bytes	601,500	971.00	12,540
3046	Power Unit (required for 3135)	17,060	33.00	356
3135-3	Processing Unit (for Accelerated Model 135-3):			
	Model A1; 262,144 bytes	586,500	890.00	13,240
	Model A2; 327,680 bytes	620,250	950.00	13,940
	Model A3; 393,216 bytes	654,000	1,010.00	14,640
	Model A4; 524,288 bytes	721,500	1,130.00	16,040
3138	Processing Unit (for Model 138 system):			
	Model I; 524,288 bytes	350,000	1,275.00	9,600
	Model J; 1,048,576 bytes	405,000	1,335.00	11,500
3145	Processing Unit (for Model 145 system):			
	Model GE; 163,840 bytes**	668,400	1,275.00	13,890
	Model GFD; 212,992 bytes*	717,800	1,315.00	14,930
	Model H; 262,144 bytes**	767,200	1,350.00	15,970
	Model HG; 393,316 bytes when used with a 3345 Model 1 or 4**	768,350	1,350.00	15,990
	Model I; 524,288 bytes when used with a 3345 Model 2 or 5**	769,500	1,350.00	16,010
	Model H2; 262,144 bytes	753,500	1,305.00	15,660
	Model HG2; 393,316 bytes	844,100	1,420.00	17,570
	Model I2; 524,288 bytes	912,800	1,550.00	18,960
	Model IH2; 786,432 bytes	1,050,300	1,785.00	21,750
	Model J2; 1,048,576 bytes	1,187,800	2,025.00	24,540
	Model JI2; 1,572,964 bytes	1,487,500	2,490.00	30,630
	Model K2; 2,097,152 bytes	1,762,500	2,960.00	32,210
3345	Storage and Control Frame (for Model 145):			
	Model 1; 131,072 bytes**	158,350	107.00	3,285
	Model 2; 262,144 bytes**	288,650	197.00	6,015
	Model 3; Integrated 3330 Disk Storage Control	68,730	101.00	1,420
	Model 4; 131,072 bytes plus Integrated 3330 Disk Storage Control**	221,250	209.00	4,615
	Model 5; 262,144 bytes plus Integrated 3330 Disk Storage Control**	351,550	299.00	7,325
8100	Two-Channel Switch for 3345 Model 3, 4, or 5 or 3145	11,110	11.00	228
3046	Power Unit (required for 3345 Model 1, 2, 4, or 5)	17,060	33.00	356
3047	Power Unit (required for 3145 Models H2 through J2)	18,140	32.00	378
3145-3	Processing Unit (for Accelerated Model 145-3):			
	Model A1; 196,608 bytes	943,500	1,531.00	21,260
	Model A2; 327,680 bytes	1,034,100	1,646.00	23,170
	Model A3; 458,752 bytes	1,102,800	1,776.00	24,560
	Model A4; 720,896 bytes	1,240,300	2,011.00	27,350
	Model A5; 983,040 bytes	1,377,800	2,251.00	30,140
	Model A6; 1,507,308 bytes	1,677,500	2,716.00	36,230
	Model A7; 2,031,616 bytes	1,952,500	3,186.00	41,810

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

\*\*Not in new production.

## IBM System/370 EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSORS AND MAIN STORAGE (Continued)</b>				
3148	Processing Unit (for Model 148 system): Model J; 1,048,576 bytes Model K; 2,097,152 bytes	689,000 799,000	2,235.00 2,405.00	19,000 22,800
3155	Processing Unit (for Model 155 system; requires 3360 Mod. 1, 2, or 3 Processor Storage) Model H; 262,144 bytes Model HG; 393,216 bytes Model I; 524,288 bytes Model IH; 786,432 bytes Model J; 1,048,576 bytes Model JI; 1,572,964 bytes Model K; 2,097,152 bytes	1,017,300 1,018,500 1,019,700 1,044,600 1,047,000 1,134,900 1,162,200	2,065.00 2,065.00 2,065.00 2,080.00 2,080.00 2,140.00 2,150.00	21,180 21,210 21,240 21,750 21,810 23,600 24,170
3360	Processor Storage (for Model 155): Model 1; 262,144 bytes Model 2; 393,216 bytes Model 3; 524,288 bytes	139,300 209,000 279,700	258.00 387.00 516.00	3,060 4,590 6,120
3158	Processing Unit (for Model 158 system; includes semiconductor main storage as indicated): Model I; 524,288 bytes Model J; 1,048,576 bytes Model JI; 1,572,864 bytes Model K; 2,097,152 bytes Model KJ; 3,145,728 bytes Model L; 4,194,304 bytes	1,295,200 1,350,200 1,405,200 1,460,200 1,585,200 1,695,200	2,315.00 2,385.00 2,455.00 2,525.00 2,735.00 2,875.00	38,120 40,020 41,920 43,820 48,140 51,940
3158 MP	For Model 158 MP (multiprocessing) systems: Model MP1; 524,288 bytes Model MP2; 1,048,576 bytes Model MP3; 1,572,864 bytes Model MP4; 2,097,152 bytes Model MP5; 3,145,728 bytes Model MP6; 4,194,304 bytes	1,423,200 1,478,200 1,533,200 1,588,200 1,713,200 1,823,200	2,385.00 2,455.00 2,525.00 2,595.00 2,805.00 2,945.00	41,740 43,640 45,540 47,440 51,760 55,560
3158-3	Uniprocessor Models: Model U31; 524,288 bytes Model U32; 1,048,576 bytes Model U33; 1,572,864 bytes Model U34; 2,097,152 bytes Model U35; 3,145,728 bytes Model U36; 4,194,304 bytes	1,381,000 1,436,100 1,491,100 1,546,100 1,671,100 1,781,100	2,360.00 2,430.00 2,500.00 2,570.00 2,780.00 2,920.00	42,280 44,180 46,080 47,980 52,300 56,100
3158-3	Multiprocessor Models: Model M31; 524,288 bytes Model M32; 1,048,576 bytes Model M33; 1,572,864 bytes Model M34; 2,097,152 bytes Model M35; 3,145,728 bytes Model M36; 4,194,304 bytes	1,509,100 1,564,100 1,619,100 1,674,100 1,799,100 1,909,100	2,430.00 2,500.00 2,570.00 2,640.00 2,850.00 2,990.00	45,900 47,800 49,700 51,600 55,920 59,720
3052-1	Attached Processing Unit (for Model 158 APS)	380,000	2,200.00	12,670
5552	Storage Attach Feature	2,700	15.00	90
3056-1	Remote System Console	20,800	10.00	545
3058-1	Multisystem Unit (required in Model 158 MP systems)	46,990	21.50	1,370
4600	I/O Assignment Switch Expansion (for 3058)	5,495	1.00	112
3165	Processing Unit (for Model 165 system, requires 3360 Mod. 4 or 5 Processor Storage): Model I; 524,288 bytes Model J; 1,048,576 bytes Model JI; 1,572,864 bytes Model K; 2,097,152 bytes Model KJ; 3,145,728 bytes	1,814,600 1,819,900 1,841,900 1,858,200 1,913,100	3,260.00 3,270.00 3,315.00 3,370.00 3,480.00	37,790 37,900 38,370 38,680 39,820
3066-1	System Console (required in Model 165 system)	128,150	552.00	3,825
3067-1	Power and Coolant Distribution Unit (required in Model 165 system)	95,130	131.00	2,825
9447	208/320-volt Motor Generator Set (for Model 165)	16,860	—	Purchase-only
9449	440-volt Motor Generator Set (for Model 165)	16,860	—	Purchase-only
3360	Processor Storage (for Model 165): Model 4; 262,144 bytes Model 5; 524,288 bytes	139,300 279,700	258.00 516.00	3,060 6,120
3168	Processing Unit (for Model 168 system; includes semiconductor main storage as indicated): Model J; 1,048,576 bytes Model K; 2,097,152 bytes Model KJ; 3,145,728 bytes Model L; 4,194,304 bytes Model LJ; 5,242,860 bytes Model LK; 6,291,456 bytes Model LKJ; 7,340,032 bytes Model M; 8,388,608 bytes	2,094,500 2,204,500 2,314,500 2,426,500 2,551,500 2,661,500 2,771,500 2,881,500	5,070.00 5,210.00 5,350.00 5,500.00 5,710.00 5,850.00 5,990.00 6,130.00	61,620 65,420 69,220 73,090 77,410 81,210 85,010 88,810
3168 MP	For Model 168 MP (multiprocessing) systems: Model MP1; 1,048,576 bytes Model MP2; 2,097,152 bytes Model MP3; 3,145,728 bytes	2,158,100 2,268,100 2,378,100	5,080.00 5,220.00 5,360.00	63,470 67,270 71,070

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

## IBM System/370

### EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSORS AND MAIN STORAGE (Continued)</b>				
	Model MP4; 4,194,304 bytes	2,490,100	5,510.00	74,940
	Model MP5; 5,242,860 bytes	2,615,100	5,720.00	79,260
	Model MP6; 6,291,456 bytes	2,725,100	5,860.00	83,060
	Model MP7; 7,340,032 bytes	2,835,100	6,000.00	86,860
	Model MP8; 8,388,608 bytes	2,945,100	6,140.00	90,660
3168-3	Uniprocessor Models:			
	Model U31; 1,048,576 bytes	2,311,700	5,180.00	70,920
	Model U32; 2,097,152 bytes	2,421,700	5,320.00	74,720
	Model U33; 3,145,728 bytes	2,531,700	5,460.00	78,520
	Model U34; 4,194,304 bytes	2,643,700	5,610.00	82,390
	Model U35; 5,242,880 bytes	2,768,700	5,820.00	86,710
	Model U36; 6,291,456 bytes	2,878,700	5,960.00	90,510
	Model U37; 7,340,032 bytes	2,988,700	6,100.00	94,310
	Model U38; 8,388,608 bytes	3,098,700	6,240.00	98,110
3168-3	Multiprocessor Models:			
	Model M31; 1,048,576 bytes	2,375,300	5,190.00	72,770
	Model M32; 2,097,152 bytes	2,485,300	5,330.00	76,570
	Model M33; 3,145,728 bytes	2,595,300	5,470.00	80,370
	Model M34; 4,194,304 bytes	2,707,300	5,620.00	84,240
	Model M35; 5,242,800 bytes	2,832,300	5,830.00	88,560
	Model M36; 6,291,456 bytes	2,942,300	5,970.00	92,360
	Model M37; 7,340,032 bytes	3,052,300	6,110.00	96,160
	Model M38; 8,388,608 bytes	3,162,300	6,250.00	99,960
3168-3	Attached Processor System:			
	Model A31; 1,048,576 bytes	2,357,400	5,600.00	72,910
	Model A32; 2,097,152 bytes	2,467,200	5,740.00	76,710
	Model A33; 3,145,728 bytes	2,577,200	5,880.00	80,510
	Model A34; 4,194,304 bytes	2,689,200	6,030.00	84,380
	Model A35; 5,242,880 bytes	2,814,200	6,240.00	88,700
	Model A36; 6,291,456 bytes	2,924,200	6,380.00	92,500
	Model A37; 7,340,032 bytes	3,034,200	6,520.00	96,300
	Model A38; 8,388,608 bytes	3,144,200	6,660.00	100,100
3062-1	Attached Processing Unit (for Model 168 APS)	1,078,000	5,100.00	53,000
3066-2	System Console (required in Model 168 system)	128,150	552.00	3,825
3066-3	System Console (required for 3062-1)	132,700	562.00	3,960
3067-2	Power and Coolant Distribution Unit (required in Model 168 system)	95,130	131.00	2,825
3067-3	Power and Coolant Distribution Unit (required in Model 168-3 system)	96,360	132.00	2,875
3067-5	Power and Coolant Distribution Unit (required in 3062-1 APU)	95,130	131.00	2,825
5050	Multiprocessing Feature (for 3066-2)	4,475	1.00	90
5050	Multiprocessing Feature (for 3067-2)	16,720	23.00	342
3068	Multisystem Communication Unit (required in Model 168 MP systems)	500,800	387.00	14,590
3850	Extended Storage Attachment (required on 3068 if either processor has over 4194K bytes)	6,875	No charge	140
4600	I/O Assignment Switch Expansion (for 3068)	5,495	1.00	112
9447	208/230-volt Motor Generator Set (for Model 168)	16,860	—	Purchase-only
9449	440-volt Motor Generator Set (for Model 168)	16,860	—	Purchase-only
3195	Processing Unit (for Model 195 system; includes core storage as indicated):			
	Model J1; 1,048,576 bytes	4,627,900	12,930.00	102,800
	Model K1; 2,097,152 bytes	6,219,100	13,720.00	134,400
	Model KJ1; 3,145,728 bytes	7,311,100	14,490.00	155,850
	Model L1; 4,194,304 bytes	8,330,300	15,180.00	175,200
3060	System Console (required in Model 195 system)	326,500	540.00	7,630
3080	Power Units (three required in Model 195 system)	39,610	17.50	901
3085	Power Distribution Unit (required in Model 195 system)	32,650	11.00	742
3086	Coolant Distribution Unit (required in Model 195 system)	34,930	11.00	795
9447	208/230-volt Motor Generator Set (for Model 195)	16,860	—	Purchase only
9449	440-volt Motor Generator Set (for Model 195)	16,860	—	Purchase only

NOTE: A purchased Model 155 Processing Unit can be converted into a Model 155-II by field installation of the Dynamic Address Translation facility at a one-time charge of \$200,000 and a \$630 increase in the monthly maintenance charge. A purchased Model 165 can be similarly converted into a Model 165-II at a one-time charge of \$400,000 and a \$1,000 increase in the monthly maintenance charge.

#### PROCESSOR FEATURES AND CHANNELS

For 3115 Processing Unit (Model 115):

3898	External Signals Feature	4,125	1.00	110
3900, 3910	Floating Point Feature, including Extended Precision	No charge	No charge	No charge
4101	4K Control Storage Extension	1,335	1.50	55
4650	Integrated 3203 Printer Attachment	3,145	7.50	83
4653	Integrated 3203/5203 Printer Attachment (prerequisite for Feature 4650 or 4690)	3,230	8.50	88
4670	Integrated 2560 MFCM Attachment	5,780	11.50	153
4674	2560 Card Print Control	1,235	2.00	33
4675	3411 Magnetic Tape Adapter	4,125	3.00	110
4690	Integrated 5203 Model 3 Printer Attachment	3,145	7.50	83
4692	Integrated 5213 Model 1 Printer Attachment	4,125	3.00	110
4695	Integrated 5425 MFCU Attachment	5,780	19.50	153
5248	Byte Multiplexer Channel	7,865	20.50	208
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

**IBM System/370  
EQUIPMENT PRICES**

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>
<b>PROCESSOR FEATURES AND CHANNELS (Continued)</b>				
4640	Integrated Communications Adapter (for 3115)	8,460	25.50	225
4641	Integrated Communications Adapter Extension	3,105	1.50	83
1201	Asynchronous Line Group	1,660	3.00	43
1231	Asynchronous Line, Medium Speed	1,660	2.50	43
1241	Asynchronous Line Pair, Low Speed	2,255	3.50	60
1291, 1292	Auto Call Adapter (line position A1 or A2)	808	1.50	21
1295, 1296	Auto Call Adapter (line position S1 or S2)	808	1.50	21
4743		417	2.50	15
IBM 1200-bps Line Adapters:				
4781	Non-switched	525	2.50	16
4782	Switched with Auto-Answer	700	3.00	21
4791	Switched with Auto-Answer and Auto-Call	1,935	11.50	71
4792	Line Adapter Base 2	1,020	2.00	28
4793	Line Adapter Base 3	1,020	2.00	28
7100	Synchronous Line Group	1,660	3.00	43
7121	Synchronous Line, High Speed	4,125	8.50	110
7141-7144	Synchronous Line, Medium Speed, with Clock	2,255	3.50	60
7151-7154	Synchronous Line, Medium Speed	1,870	3.00	49
7881	Telegraph Line Pair	2,255	9.00	60
For 3115-2 Processing Unit (Model 115-2)				
3860	Expansion Base; required on 3115-2 Model H2 systems not equipped with RFO 7B0132 and 7B0141 (to allow both native card reader attachment and the multiplexer channel) and on all 3115-2 systems with a Line Adapter Base 2 or Line Adapter Base 3	1,710	1.00	45
4101, 4102	4K Control Storage Extension	1,335	1.50	55
4104	4K Control Storage Increment	2,670	3.00	110
4210	DASF Control Storage Extension (required for string switch capability)	1,335	1.50	55
5249	Extended Byte Multiplexer Channel (for 25KB transfer rate)	1,330	3.00	35
For 3125 Processing Unit (Model 125)				
3898	External Signals	4,200	1.00	112
3910	Floating Point (including Extended Precision)	No charge	No charge	No charge
4101	First 4K-Word Control Storage Increment	2,055	1.50	84
4102	Second 4K-Word Control Storage Increment	2,055	1.50	84
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4500	5424 Card Unit Power Supply	6,715	14.00	179
4505	1403 Printer/5425 Card Unit Power Prerequisite	11,730	39.00	313
4650	Integrated 3203 Printer Attachment	6,505	16.50	173
4662	Integrated 1403 Model2/N1 Printer Attachment	434	1.00	10
4667	Integrated 1403 Model 2/7N1 Printer Attachment	5,455	12.00	145
4668	Integrated 1403 Model N1 Printer Attachment	217	1.00	5
4670	Integrated 2560 Model A1 MFCM Attachment	5,890	12.00	156
4674	2560 Card Print Control	1,250	2.00	33
4675	3411 Magnetic Tape Adapter	4,200	3.50	112
4680	Integrated 3504 Card Reader Attachment	2,730	8.50	72
4685	Integrated 3525 Card Punch Attachment	3,375	11.00	89
4692	Integrated 5213 Console Printer Attachment	4,200	3.50	112
4693	3525 Card Print Control	2,510	3.00	67
4695	Integrated 5425 MFCU Attachment	5,890	21.00	156
5248	Multiplexer Channel	8,405	24.00	224
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge
8005	1052 Compatibility	No charge	No charge	No charge
8040	2311 Model 1 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (for 3125)	8,585	27.50	230
4641	Integrated Communications Adapter Extension	3,160	1.50	84
1201	Asynchronous Line Group 1 (ALG 1)	1,685	3.50	43
1202	Asynchronous Line Group (ALG 2)	1,685	3.50	43
1231	Asynchronous Line, Medium Speed, ALG 1	1,685	3.00	43
1232	Asynchronous Line, Medium Speed, ALG 2	1,685	3.00	43
1241	Asynchronous Line Pair, Low-Speed, ALG 1	2,295	4.00	61
1242	Asynchronous Line Pair, Low-Speed, ALG 2	2,295	4.00	61
1291-1296	Auto-Call Adapter (per line position)	824	1.50	21
4743	IBM Leased Line Adapter	424	3.00	15
IBM 1200-bps Line Adapter:				
4781	Non-switched	535	3.00	16
4782	Switched with Auto-Answer	714	3.50	21
4791	Switched with Auto-Answer and Auto-Call	1,970	12.00	72
4792	Line Adapter Base 2	1,035	2.00	28
4793	Line Adapter Base 3	1,035	2.00	28
7100	Synchronous Line Group	1,685	3.50	43
7121	Synchronous Line, High-Speed	4,200	9.00	112
7131	Synchronous Line, Low-Load, First	4,200	9.00	112
7132	Synchronous Line, Low-Load, Second	4,200	9.00	112
7141-7144	Synchronous Line, Medium-Speed with Clock (per line)	2,295	4.00	61
7151-7154	Synchronous Line, Medium-Speed (per line)	1,905	3.50	49
7881	Telegraph Line Pair, ALG 1	2,295	9.50	61
7882	Telegraph Line Pair, ALG 2	2,295	9.50	61
5213	Printer: 85 char/sec.	4,840	52.50	179
For 3125-2 Processing Unit (Model 125-2)				
4105	8K Control Storage Extension	4,110	3.00	168
4210	4K DASF Control Storage Extension	2,055	1.50	84

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

## IBM System/370

### EQUIPMENT PRICES

	Purchase Price	Monthly Maint.	Rental (short-term lease)*	
<b>PROCESSOR FEATURES AND CHANNELS (Continued)</b>				
For 3135 Processing Unit (Model 135):				
1290	Autocall	2,740	1.00	56
1421	Block Multiplexer Channel	No charge	No charge	No charge
1431	Block Multiplexer Shared Subchannel	No charge	No charge	No charge
1501	Channel Priority	No charge	No charge	No charge
2001	Clock Comparator & CPU Timer	No charge	No charge	No charge
3274	Direct Control	6,540	1.00	131
3840	Extended Precision Floating Point	1,485	1.00	30
3900	Floating-Point	No charge	No charge	No charge
3905-3907	Additional Multiplexer Subchannels (64, 128, or 256)	No charge	No charge	No charge
4457	IBM 1401/1440/1460 Compatibility	No charge	No charge	No charge
4650	Integrated File Adapter (IFA) for 2319	28,430	14.00	572
4655	Integrated File Adapter (IFA) for 3330 Series	38,910	3.00	786
4645	Integrated File Adapter Conversion Feature for connecting 3330/3340 drives to 4650 adapter	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	11,900	25.00	242
4722	Second line on ICA	2,385	5.00	47
4723	Third Line on ICA	4,790	10.00	95
4724	Fourth Line on ICA	2,385	5.00	47
4725	Fifth Line on ICA	7,150	16.00	144
4726	Sixth Line on ICA	2,385	5.00	47
4727	Seventh Line on ICA	2,385	5.00	47
4728	Eighth Line on ICA	2,385	5.00	47
4670	Integrated Printer Adapter Basic Control	19,850	21.50	400
4672	Integrated Printer Attachment for 1403 Model 2 or N1	415	.50	10
4677	Integrated Printer Attachment for 1403 Model 7	415	.50	10
6981	Selector Channel No. 1	10,480	4.00	211
6982	Selector Channel No. 2	8,990	4.00	181
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge
7861	Control Storage Expansion; 1st 12K increment	12,330	22.00	252
7862	Control Storage Expansion; 2nd 12K increment	12,330	22.00	252
7844	Adapter for 3210-1 Console Printer-Keyboard	5,990	4.00	121
7855	Adapter for 3215 Console Printer-Keyboard	10,160	5.00	204
8637	Universal Character Set Adapter	2,045	8.00	40
8150	3333 String Attachment	7,345	10.50	223
8070	2314/3340 Compatibility Feature	1,925	No charge	55
3210-1	Console Printer-Keyboard; 15 char./sec.	5,935	116.00	196
3215	Console Printer-Keyboard; 85 char./sec.	8,990	75.00	224
For 3135-3 Processing Unit (Model 135-3):				
1290	Autocall	2,740	1.00	56
1425	Block Multiplexer Channel, 1st	10,480	4.00	211
1426	Block Multiplexer Channel, 2nd	8,990	4.00	181
1431	Block Multiplexer Shared Subchannel	No charge	No charge	No charge
1501	Channel Priority	No charge	No charge	No charge
3274	Direct Control	6,540	1.00	131
3840	Extended Precision Floating Point	1,485	1.00	30
3906	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	11,900	25.00	242
4645	IFA Conversion Feature	No charge	No charge	No charge
4650	2319 Integrated File Adapter	28,430	14.00	572
4655	3330/3340 Series IFA	38,910	3.00	786
4670	Integrated Printer Adapter Basic Control	19,850	21.50	400
4672	Integrated 1403 Printer Model 2 or N1 Attachment	415	.50	10
4677	Integrated 1403 Printer Model 7 Attachment	415	.50	10
4722	Second Additional Line on ICA	2,385	5.00	47
4723	Third Additional Line on ICA	4,790	10.00	95
4724	Fourth Additional Line on ICA	2,385	5.00	47
4725	Fifth Additional Line on ICA	7,150	16.00	144
4726	Sixth Additional Line on ICA	2,385	5.00	47
4727	Seventh Additional Line on ICA	2,385	5.00	47
4728	Eighth Additional Line on ICA	2,385	5.00	47
7844	3210 Model 1 Adapter	5,990	4.00	121
7855	3215 Adapter	10,160	5.00	204
8070	2314/3340 Compatibility Feature	1,925	No charge	55
8637	Universal Character Set Adapter	2,045	8.00	40
For 3138 Processing Unit (Model 138):				
1290	Autocall	2,740	1.00	56
1431	Block Multiplexer Shared Subchannels	No charge	No charge	No charge
1502	Channel Priority	No charge	No charge	No charge
3274	Direct Control	6,540	1.00	131
3906	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	11,900	25.00	242
4655	3330/3340 Series IFA	38,910	3.00	786
4670	Integrated 1403 Printer Adapter Basic Control	19,850	21.50	400
4672	Integrated 1403 Printer Model 2 or N1 Attachment	415	.50	10
4677	Integrated 1403 Printer Model 7 Attachment	415	.50	10
4722	Second Additional Line on ICA	2,385	5.00	47
4723	Third Additional Line on ICA	4,790	10.00	95
4724	Fourth Additional Line on ICA	2,385	5.00	47
4725	Fifth Additional Line on ICA	7,150	16.00	144
4726	Sixth Additional Line on ICA	2,385	5.00	47

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

IBM System/370  
EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSOR FEATURES AND CHANNELS (Continued)</b>				
4727	Seventh Additional Line on ICA	2,385	5.00	47
4728	Eighth Additional Line on ICA	2,385	5.00	47
8070	2314/3340 Compatibility Feature	1,925	No charge	55
8075	Integrated 3203-4 Printer Attachment, First Printer	5,940	30.00	180
8076	Integrated 3203-4 Printer Attachment, Second Printer	5,940	30.00	180
8637	Universal Character Set Adapter	2,045	8.00	40
For 3145 Processing Unit (Model 145):				
1421	Block Multiplexer Channel Features	No charge	No charge	No charge
1850	Channel-to-Channel Adapter	15,710	14.00	326
2001	Clock Comparator & CPU Timer	5,485	3.00	114
2150	Control Store Extension (prerequisite for 9845)	16,390	11.00	342
3274	Direct Control	7,085	4.00	146
3910	Floating-Point Instructions	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge
4650	Integrated File Adapter (IFA) for 2319	32,330	50.00	674
4660	Integrated Storage Control (ISC) for 3330	63,220	101.00	1,310
4951-4954	Additional Multiplexer Subchannels (32, 64, 128, or 256)	No charge	No charge	No charge
6982	Selector Channel—2nd	13,240	17.50	277
6983	Selector Channel—3rd	13,240	17.50	277
6984	Selector Channel—4th	13,240	17.50	277
7844	Console Printer Adapter for 3210 Model 1	7,410	4.00	153
7845	Console Printer Adapter for 3210 Model 2	5,925	7.00	123
7855	Console Printer Adapter for 3215	10,380	7.00	215
8810	Word Buffer	11,780	7.00	247
8150	3333 String Switch Attachment	7,345	10.50	223
9845	32-Drive Expansion (2150 is prerequisite)	No charge	No charge	No charge
3210	Console Printer-Keyboard; 15 char./sec. Model 1; for local use	5,935	116.00	196
	Model 2; for remote use	6,100	123.00	201
3215	Console Printer-Keyboard; 85 char./sec.	8,990	75.00	224
For 3145-3 Processing Unit (Model 145-3):				
1427	Block Multiplexer Channel, 2nd	13,240	17.50	277
1428	Block Multiplexer Channel, 3rd	13,240	17.50	277
1429	Block Multiplexer Channel, 4th	13,240	17.50	277
1850	Channel-to-Channel Adapter	15,710	14.00	326
2001	Clock Comparator and CPU Timer	5,485	3.00	114
2150	Control Store Expansion	16,390	11.00	342
2152	Expanded Control Store	26,330	22.50	550
3274	Direct Control	7,085	4.00	146
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge
4660	Integrated Storage Control	63,220	101.00	1,310
4953	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
4954	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
6111	Register Expansion	1,035	4.00	31
7844	3210 Model 1 Adapter	7,410	4.00	153
7845	3210 Model 2 Adapter	5,925	7.00	123
7855	3215 Adapter	10,380	7.00	215
8100	Two-Channel Switch	11,110	11.00	228
8810	Word Buffer	11,780	7.00	247
For 3148 Processing Unit (Model 148):				
1450	Block Multiplexer Additional Subchannel	No charge	No charge	No charge
1850	Channel-to-Channel Adapter	15,710	14.00	326
2150	Control Store Extension	16,390	11.00	342
2152	Expanded Control Store	26,330	22.50	550
3274	Direct Control	7,085	4.00	146
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge
4660	Integrated Storage Control	63,220	101.00	1,310
4953	128 Additional Multiplexer Subchannels	No charge	No charge	No charge
4954	256 Additional Multiplexer Subchannels	No charge	No charge	No charge
6111	Register Expansion for 4660 Storage Control	1,035	4.00	31
8075	Integrated 3203-4 Printer Attachment, First Printer	5,940	30.00	180
8076	Integrated 3203-4 Printer Attachment, Second Printer	5,940	30.00	180
8100	Two-Channel Switch	11,110	11.00	228
For 3155 Processing Unit (Model 155):				
1433	Third Block Multiplexer Channel	14,970	14.00	429
1434	Fourth Block Multiplexer Channel	13,930	11.00	400
1435	Fifth Block Multiplexer Channel	7,005	5.00	199
1850	Channel-to-Channel Adapter	13,930	9.00	400
3274	Direct Control	3,425	4.00	114
3700	Extended Precision Floating Point	9,615	19.00	199
3950	IBM 1401/1440/1460/1410/7010 Compatibility	18,290	19.00	457
4990	Second Byte Multiplexer Channel	14,970	14.00	429
5450	OS/DOS Compatibility	11,430	19.00	285
7117	7070/7074 Compatibility	43,390	71.50	1,025
7844	Adapter for 3210 1 Printer-Keyboard	8,240	9.00	171
7845	Adapter for 3210 2 Printer-Keyboard	9,315	9.00	193
7855	Adapter for 3215 Printer-Keyboard	10,910	9.00	228

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

IBM System/370  
EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*
<b>PROCESSOR FEATURES AND CHANNELS (Continued)</b>				
3210	Console Printer-Keybaord; 15 char./sec.: Model 1; for local use	5,935	116.00	196
	Model 2; for remote use	6,100	123.00	201
3215	Console Printer-Keybaord; 85 char./sec.	8,990	75.00	224
For 3158 and 3158-3 Processing Units (Models 158 and 158-3)				
1433	Third Block Multiplexer Channel	16,160	14.00	463
1434	Fourth Block Multiplexer Channel	15,040	11.00	432
1435	Fifth Block Multiplexer Channel	7,565	5.00	215
1850	Channel-to-Channel Adapter	15,040	9.00	432
2150	Control Store Extension (prerequisite for 7220)	32,900	23.00	686
2151, 2152	Expanded Control Storage	19,870	23.00	415
3274	Direct Control	3,705	4.00	123
3700	Extended Precision Floating Point	No charge	No charge	No charge
3950	IBM 1401/1440/1460/1410/7010 Compatibility	No charge	No charge	No charge
4650	Integrated Storage Controls (for 3330 Series)	121,250	258.00	2,510
4990	Second Byte Multiplexer Channel	16,160	14.00	463
5450	OS/DOS Compatibility	No charge	No charge	No charge
5552	Processor Attachment Feature for APS	2,700	15.00	40
6111	Register Expansion for 4650 Storage Control	2,075	8.50	62
7117	7070/7074 Compatibility	No charge	No charge	No charge
7220	Staging Adapter for ISC	129,950	245.00	2,690
7820	3056 Remote Console Attachment Feature	2,545	4.00	51
7840	3213 Console Printer Attachment	5,545	1.00	114
7905	Two-Channel Switch for Integrated Storage Control	22,230	23.00	458
8150	3333 String Switch Attachment	7,345	10.50	223
3213	Console Printer; 85 char./sec.	7,635	100.00	235
For 3165 Processing Unit (Model 165):				
1432	Buffer Expansion (to 16K bytes)	77,160	60.50	1,610
3850	Extended Channels	24,640	76.50	513
4520	High-Speed Multiply	135,150	121.00	2,815
7117	IBM 7070/7074 Compatibility	140,350	181.00	2,930
7118	IBM 7080 Compatibility	140,350	181.00	2,930
7119	IBM 709/7090/7094 II Compatibility	140,350	181.00	2,930
For 3168 and 3168-3 Processing Units (Models 168 and 168-3)				
1435	Buffer Expansion (to 16K bytes)	83,340	65.50	1,740
2150	Control Store Extension (prerequisite for 7220)	32,900	23.00	686
2151, 2152	Expanded Control Storage	19,870	23.00	415
3855	Extended Channels	26,610	83.00	554
4525	High-Speed Multiply	145,950	131.00	3,035
4650	Integrated Storage Controls (for 3330 Series)	121,250	258.00	2,510
6111	Register Expansion for 4650 Storage Control	2,000	8.00	60
7127	IBM 7070/7074 Compatibility	151,600	197.00	3,160
7128	IBM 7080 Compatibility	151,600	197.00	3,160
7129	IBM 709/7090/7094/7094 II Compatibility	151,600	197.00	3,160
7220	Staging Adapter for ISC	129,950	245.00	2,690
7905	Two-Channel Switch for Integrated Storage Control	22,230	23.00	458
8150	3333 String Switch Attachment	7,345	10.50	223
For 3195 Processing Unit (Model 195):				
3851	Extended Channels	14,872	2.00	306
2860	Selector Channel (for Models 165-195): Mod. 1; one channel	112,050	63.50	2,400
	Mod. 2; two channels	159,600	103.00	3,420
	Mod. 3; three channels	206,600	144.00	4,455
1850	Channel-to-Channel Adapter (for 2860)	10,820	4.00	256
	Channel Indirect Data Addressing (required on 2860 for operation in Extended Control mode):			
1861	For 2860 Model 1	7,995	2.00	171
1862	For 2860 Model 2	15,940	3.00	342
1863	For 2860 Model 3	23,910	5.50	515
2870	Byte Multiplexer Channel (for Models 165-195)	117,900	132.00	2,500
6990	Selector Subchannel—First (for 2870)	19,870	20.00	458
6991	Selector Subchannel—Second (for 2870)	12,010	12.50	285
6992	Selector Subchannel—Third (for 2870)	12,010	12.50	285
6993	Selector Subchannel—Fourth (for 2870)	12,010	12.50	285
1861	Channel Indirect Data Addressing (required on 2870 for operation in Extended Control mode):	10,790	2.50	228
2880	Block Multiplexer Channel (for Models 165-195): Mod. 1; one channel	121,850	355.00	3,705
	Mod. 2; two channels	174,500	471.00	5,310
	Channel Indirect Data Addressing (required on 2880 for operation in Extended Control mode):			
1861	For 2880 Model 1	5,650	1.00	171
1862	For 2880 Model 2	11,240	2.00	342
	Two-Byte Interface (required on 2880 for attachment of 2305 Model 1 Fixed-Head Storage):			
7850	For 2880 Model 1 or first Channel of Model 2	14,220	6.00	432
7851	For second channel of 2880 Model 2	14,220	6.00	432

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

**IBM System/370  
EQUIPMENT PRICES**

		<b>Purchase Price</b>	<b>Monthly Maint.</b>	<b>Rental (short-term lease)*</b>	<b>Rental (12-month lease)*</b>	<b>Rental (24-month lease)*</b>
<b>MASS STORAGE</b>						
2305	Fixed-Head Storage Facility: Mod. 1; 5.4 million bytes	179,100	592.00	5,495	5,055	4,616
	Mod. 2; 11.2 million bytes	142,200	563.00	4,375	4,025	3,675
2835	Storage Control: Mod. 1; for 2305 Mod. 1	109,800	396.00	3,245	2,985	2,726
	Mod. 2; for 2305 Mod. 2	90,900	338.00	2,705	2,489	2,272
2319	Disk Storage (each unit has 3 disk drives and stores a total of 87 million bytes): Model A1; 3 drives and control, for connection to Model 135 or 145 IFA	35,100	220.00	1,080	994	907
	Model A2; 3 additional drives for Model 145	35,100	220.00	1,080	994	907
	Model A3; 3 additional drives for Model 135	35,280	231.00	1,135	1,044	953
	Model B1; 3 drives and control, for connection to 2314-B1	35,100	220.00	1,080	994	907
	Storage Control					
	Model B2; 3 additional drives for connection to 2314-B1	35,100	220.00	1,080	994	907
	Storage Control					
2314	Storage Control, Model B1	63,810	75.50	1,650	1,518	1,386
2312	Disk Storage; 1 drive, 29 million bytes	22,920	93.50	599	551	503
2313	Disk Storage; 4 drives, 116 million bytes	75,290	301.00	1,945	1,789	1,634
2318	Disk Storage; 2 drives, 58 million bytes	37,430	169.00	1,030	948	865
3330	Disk Storage: Model 1; 2 drives, 200 million bytes	47,610	187.00	1,450	1,334	1,218**
	Model 2; 1 drive, 100 million bytes	28,440	110.00	862	—	734**
	Model 11; 2 drives, 400 million bytes	67,680	187.00	2,070	1,904	1,739**
3333	Disk Storage and Control (up to three 3330 modules can be attached): Model 1; 2 drives, 200 million bytes	59,670	220.00	1,810	—	1,540**
	Model 11; 2 drives, 400 million bytes	79,830	220.00	2,426	—	2,065**
3830	Storage Control, Model 2 (controls up to four 3333's and twelve 3330's)	74,340	126.00	2,270	—	1,907**
3830	Storage Control, Model 3 (controls up to four 3333's and twelve 3330's in a 3850 Mass Storage System)	144,000	235.00	4,405	—	3,700**
2150	Control Store Extension (for 3830; prerequisite for 9845)	17,190	10.50	526	484	442**
8150	String Switch (for 3333)	7,345	10.50	223	—	190**
8151	3333 String Switch Attachment (for 3830)	No charge	No charge	No charge	—	—
9845	32-Drive Expansion (for 3830)	No charge	No charge	No charge	—	—
8170	Two-channel Switch (for 3830)	7,325	10.50	223	205	187
8171	Two-Channel Switch, Additional (for 3830)	7,325	10.50	223	205	187
3336	Disk Pack, Model 1	775	—	—	—	—
3336	Disk Pack, Model 11	1,150	—	—	—	—
3340	Direct Access Storage Facility: Model A2; Two drives plus control	36,000	92.00	1,100	—	936**
	Model B1; One drive	19,800	49.00	615	—	523**
	Model B2; Two drives	25,200	79.00	776	—	660**
3344 B2	Add-on Direct-Access Storage for 3340 Direct-Access Storage Facility	49,500	150.00	1,351	—	1,150**
3344 B2F	Add-on Direct-Access Storage for 3340 Direct-Access Storage Facility with 2MB fixed-head storage	65,000	210.00	1,774	—	1,510
4301	Fixed Head Feature (for 3340 A2 or B2)	1,710	1.50	43	—	41**
6201	Rotational Position Sensing (for 3340 B1)	684	0.50	20	—	17**
6202	Rotational Position Sensing (for 3340 or A2 or B2)	864	0.50	25	—	21**
6148	Remote String Attachment	No charge	No charge	No charge	—	—
8150	String Switch	7,200	12.00	220	—	187**
3348	Data Module (for 3340 drives): Model 35; 34,944,768 bytes	1,600	Time & mat'l.	59	—	50**
	Model 70; 69,889,536 bytes	2,200	Time & mat'l.	82	—	70**
	Model 70F; 69,889,536 bytes, of which 502,080 are served by fixed heads	4,400	Time & mat'l.	165	—	140**
3350 A2	Direct-Access Storage	62,500	200.00	1,704	—	1,450**
3350 A2F	Direct-Access Storage with 2MB fixed-head storage	78,000	260.00	2,127	—	1,810**
3350 B2	Add-on Direct-Access Storage Unit	49,500	150.00	1,351	—	1,150**
3350 B2F	Add-on Direct-Access Storage Unit with 2MB fixed-head storage	65,000	210.00	1,774	—	1,510**
3350 C2	Two-drive disk storage and associated control	64,650	210.00	1,763	—	1,500**
3350 C2F	Two-drive disk storage and associated control	80,150	270.00	2,186	—	1,860**
1320	Primary Controller Adapter (permits selection of A2/AF controller as on-line controller via manual switch on the C2/C2F)	430	1.50	12	—	10**
3851	Mass Storage Facility: Model A1; 1 control, 35.3 billion bytes	496,050	1,400.00	12,937	—	11,010**
	Model A2; 1 control, 102.2 billion bytes	730,050	1,950.00	19,047	—	16,210**
	Model A3; 1 control, 169.1 billion bytes	964,050	2,500.00	25,157	—	21,410**
	Model A4; 1 control, 236.0 billion bytes	1,198,050	3,050.00	31,267	—	26,610**
	Model B1; 2 controls, 35.3 billion bytes	651,000	1,550.00	16,979	—	14,450**
	Model B2; 2 controls, 102.2 billion bytes	885,000	2,100.00	23,089	—	19,650**
	Model B3; 2 controls, 169.1 billion bytes	1,119,000	2,650.00	29,199	—	24,850**
	Model B4; 2 controls, 236.0 billion bytes	1,353,000	3,200.00	35,309	—	30,050**

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

\*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).



## IBM System/370

### EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
<b>MASS STORAGE (Continued)</b>						
4901/4902	Mass Storage Control Twin Port (for 3851)	6,235	2.00	159	—	135**
6148/6150	Remote Switch Attachment (for 3851)	No charge	No charge			
8171/8172	Two Channel Switch, Additional (for 3851)	15,590	5.50	402	—	342**
NOTE: The older IBM 2301, 2303, 2311, 2314-A, and 2321 mass storage devices can also be used in a System/370; for details and prices, please refer to the IBM System/360 report (70C-491-03).						
<b>MAGNETIC TAPE INPUT/OUTPUT</b>						
2803	Tape Control (single-channel; for 2401 or 2420):					
	Mod. 1; for 800 bpi drives	29,200	26.00	729	671	612
	Mod. 2; for 1600 bpi drives	36,040	33.50	898	826	754
	Mod. 3; for 7-track 2401 Model 8 drives	17,190	40.50	503	463	423
5320	Nine-Track Compatibility (for 2803 Mod. 2)	9,925	37.50	256	236	215
7135	Seven- and Nine-Track Compatibility (for 2803 Mod. 2)	16,090	64.00	420	386	353
7185	16-Drive Addressing (for 2803 Mod. 1 or 2)	1,100	1.00	26	24	22
7900	2420 Model 5/7 Attachment (for 2803 Mod. 2)	15,210	12.50	381	351	320
8100	Two-Channel Switch (for 2803 Mod. 1)	3,765	4.50	110	101	92
2804	Tape Control (two-channel; for 2401):					
	Mod. 1; for 800 bpi drives	41,880	47.00	1,040	957	874
	Mod. 2; for 1600 bpi drives	48,710	54.50	1,210	1,113	1,016
	Mod. 3; for 7-Track 2401 Model 8 drives	23,810	61.50	701	645	589
5321	Nine-Track Compatibility (for 2804 Mod. 2)	12,000	29.50	311	286	261
7136	Seven- and Nine-Track Compatibility (for 2804 Mod. 2)	19,400	58.50	503	463	423
2401	Magnetic Tape Unit:					
	Mod. 1; 30,000 bytes/sec; 800 bpi	14,440	90.00	375	345	315
	Mod. 2; 60,000 bytes/sec; 800 bpi	20,940	102.00	544	500	457
	Mod. 3; 90,000 bytes/sec; 800 bpi	33,950	124.00	881	811	740
	Mod. 4; 60,000 bytes/sec; 1600 bpi	16,530	108.00	432	397	363
	Mod. 5; 120,000 bytes/sec; 1600 bpi	23,140	119.00	600	552	504
	Mod. 6; 180,000 bytes/sec; 1600 bpi	36,150	143.00	937	862	787
	Mod. 8; 15,000/41,700/60,000 char/sec; 7-track	15,210	124.00	447	411	375
3471	Dual Density (for 2401 Mod. 4, 5, or 6)	1,100	2.00	26	24	22
5122	Mode Compatibility (for 2401 Mod. 1, 2, or 3)	864	No charge	21	19	18
7161	Simultaneous Read-While-Write (for any 2401)	864	No charge	21	19	18
2420	Magnetic Tape Unit:					
	Mod. 5; 160,000 bytes/sec; 1600 bpi	27,880	150.00	634	583	533
	Mod. 7; 320,000 bytes/sec; 1600 bpi	50,590	164.00	1,140	1,049	958
2816	Magnetic Tape Switching Unit	23,810	4.50	617	568	518
2415	Magnetic Tape Unit and Control:					
	Mod. 1; 2 tape drives; 800 bpi	32,950	148.00	841	774	706
	Mod. 2; 4 tape drives; 800 bpi	52,690	265.00	1,345	1,237	1,130
	Mod. 3; 6 tape drives; 800 bpi	72,420	385.00	1,845	1,697	1,550
	Mod. 4; 2 tape drives; 800/1600 bpi	40,010	170.00	1,015	934	853
	Mod. 5; 4 tape drives; 800/1600 bpi	64,260	303.00	1,630	1,500	1,369
	Mod. 6; 6 tape drives; 800/1600 bpi	88,510	438.00	2,240	2,061	1,882
3228	Data Conversion Feature (for 2415; either 7125, 7127, or 7135 is a prerequisite)	1,935	1.00	49	45	41
5320	Nine-Track Compatibility (for 2415 Mod. 4, 5, or 6)	5,825	12.50	150	138	126
7125	Seven-Track Compatibility (for 2415 Mod. 1, 2, or 3)	2,145	1.50	54	50	45
7127	Seven-Track Compatibility (for 2415 Mod. 4, 5, or 6)	4,085	4.00	105	97	88
7135	Seven- and Nine-Track Compatibility (for Mod. 4, 5, or 6)	6,675	17.00	172	158	144
3410	Magnetic Tape Unit:					
	Model 1; 20 KB	7,065	61.50	206	190	173
	Model 2; 40/20 KB	9,450	68.00	274	252	230
	Model 3; 80/40 KB	11,700	75.00	342	315	287
3411	Magnetic Tape Unit and Control:					
	Model 1; 20 KB	15,570	95.00	454	418	381
	Model 2; 40/20 KB	19,710	102.00	578	532	486
	Model 3; 80/40 KB	24,030	109.00	701	645	589
3211	Single Density Feature (for 3410 & 3411)	2,295	9.50	60	55	50
3221	Dual Density Feature (for 3410 & 3411)	3,305	36.50	88	81	74
7360	System/360/370 Attachment (required on 3411)	5,780	20.00	166	153	139
3803	Tape Control:					
	Model 1; for 3420 Model 3, 5, and 7 drives	23,670	109.00	757	696	636**
	Model 2; for 3420 Model 4, 6, and 8 drives	39,420	150.00	1,101	1,013	925**
5310	9-Track NRZI Feature (permits connection of 800-bpi drives to 3803-2)	3,530	1.50	110	101	92**
6320	7-Track NRZI Feature (permits connection of 7-track drives to 3803-2; 5310 is prerequisite)	1,735	1.50	54	50	45**
	Multiple Tape Control Switches:					
1792	For 2 Tape Controls	7,020	11.00	223	205	187
1793	For 3 Tape Controls	8,955	17.50	286	263	240
1794	For 4 Tape Controls	10,530	17.50	335	308	281

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.

\*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

**IBM System/370  
EQUIPMENT PRICES**

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
<b>MAGNETIC TAPE INPUT/OUTPUT (Continued)</b>						
7850	3803-2 Attachment for 2860 Selector Channel	1,140	1.00	23	—	—
8100	Two-Channel Switch	5,265	5.50	166	153	139
3551	Dual Density Feature (for 3803)	2,630	3.00	83	76	70**
6408	7-Track Feature (for 3803)	2,630	3.00	83	76	70**
8100	Two-Channel Switch (for 3803)	5,265	5.50	166	153	139**
1792	2 x 16 Switching Feature	7,020	11.00	223	205	187**
1793	3 x 16 Switching Feature	8,955	17.50	286	263	240**
1794	4 x 16 Switching Feature	10,530	17.50	335	308	281**
3420	Magnetic Tape Units:					
	Mod. 3; 120,000 bytes/sec at 1600 bpi	12,420	65.50	397	365	333**
	Mod. 4; 470,000 bytes/sec at 6250 bpi	21,960	65.50	574	528	482**
	Mod. 5; 200,000 bytes/sec at 1600 bpi	16,650	72.00	533	490	448**
	Mod. 6; 780,000 bytes/sec at 6250 bpi	25,650	72.00	662	609	556**
	Mod. 7; 320,000 bytes/sec at 1600 bpi	20,520	85.50	655	603	550**
	Mod. 8; 1,250 bytes/sec at 6250 bpi	28,440	105.00	787	724	661**
6420	6250 bpi Density Feature (for 3420)	2,295	32.50	58	53	49**
6425	6250/1600 bpi Density Feature (for 3420)	3,160	39.00	82	75	69**
6631	Single Density Feature (for 3420)	2,990	19.50	94	86	79**
3550	Dual Density Feature (3420)	3,860	32.50	122	112	102**
6407	7-Track Feature (for 3420)	2,990	32.50	94	86	79**
2495	Tape Cartridge Reader	19,750	171.00	381		
<b>DISKETTE INPUT/OUTPUT</b>						
3540	Diskette Input/Output Unit:					
	Model B1; one drive	22,870	27.00	617	—	525**
	Model B2; two drives	34,830	37.50	929	—	791**
<b>PUNCHED CARD I/O</b>						
1442	Card Read Punch (with control), Mod. N1; 400/91 cpm	19,990	110.00	600		
2501	Card Reader (with control):					
	Mod. B1; 600 cpm	16,310	69.50	305		
	Mod. B2; 1000 cpm	16,570	75.00	376		
2520	Card Punch (with control):					
	Mod. B2; 500 cpm	39,340	194.00	955		
	Mod. B3; 300 cpm	39,010	156.00	736		
2540	Card Read Punch; 1000/300 cpm (requires 2821)	36,920	156.00	836		
2560	Multi-Function Card Machine, Model A1; reads 500 cpm, punches 160 col/sec (for Model 125 only)	21,230	132.00	725		
	Card Print Feature for 2560 Model A1:					
1575	First Two Lines	4,625	18.00	157		
1576	Second Two Lines	4,625	18.00	157		
1577	Third Two Lines	4,625	18.00	157		
3504	Card Reader (for Model 125 only):					
	Model A1; 800 cpm	21,210	82.00	551	—	469**
	Model A2; 1200 cpm	22,250	110.00	669	—	569**
3921	51/80-Column Interchangeable Read Feed (for 3504 Model A2 only)	5,300	40.50	143	—	122**
5450	Optical Mark Read Feature (for 3504)	8,420	38.00	213	—	181**
6555	Selective Stacker Feature (for 3504)	2,375	7.50	56	—	48**
3505	Card Reader:					
	Model B1; 800 cpm	29,940	116.00	665		
	Model B2; 1200 cpm	30,980	157.00	789		
5450	Optical Mark Read (for 3505)	8,420	47.00	216		
6122	Read Column Eliminate (for 3505)	No charge	No charge	No charge		
6555	Selective Stacker (for 3505)	2,375	9.00	58		
8103	3505 Punch Adapter (for 3505)	5,300	4.00	117		
8105	3525 Read/Punch Adapter (for 3505)	5,830	4.50	147		
8100	3525 Card Print Control (for 3505)	3,175	4.50	66		
3525	Card Punch:					
	Model P1; 100 cpm	21,210	72.50	470		
	Model P2; 200 cpm	22,040	96.50	595		
	Model P3; 300 cpm	22,870	121.00	718		
1533	Card Read Feature (for 3525)	6,360	18.00	140		
1421	Basic Card Print	13,930	71.50	304		
5273	Multi-Line Card Print (for 3525)	1,140	21.00	84		
8339	Two-Line Card Print (for 3525)	727	4.50	15		
2596	Card Read Punch (for 96-column cards)	31,290	417.00	996		
1510	Card Print Feature (for 2596)	5,560	65.50	176		
5425	Multi-Function Card Unit (for Model 125 only):					
	Model A1; reads 250 cpm, punches 60 cpm, prints 60 cpm	15,560	205.00	680	—	579**
	Model A2; reads 500 cpm, punches 120 cpm, prints 120 cpm	18,960	404.00	885	—	753**

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.  
\*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

## IBM System/370

### EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
<b>PRINTERS</b>						
2821	Control Unit:					
	Mod. 1 for one 2540 & one 1403	41,770	60.00	1,085	998	911
	Mod. 2; for one 1403	25,900	46.00	674	620	566
	Mod. 3; for two 1403's	51,690	94.00	1,345	1,237	1,130
	Mod. 5; for one 2540 & two 1403's	67,670	106.00	1,750	1,610	1,470
	Mod. 6; for one 2540 only	14,210	132.00	493	454	414
3615	1100 lpm Printer Adapter (for 2821; required for 1403 Mod. 3 or N1)	2,685	1.00	83	76	70
7945	Third Printer Control (for 2821 Mod. 3 or 5)	21,490	8.50	562	517	472
8100	Two-Channel Switch (for 2821)	9,425	10.00	223	205	187
8637	Universal Character Set Adapter (for 2821)	684	4.00	16	15	13
1403	Printer:					
	Mod. 2; 600 lpm; 132 print positions	22,000	234.00	841	774	706
	Mod. 7; 600 lpm; 120 print positions	21,140	182.00	707	650	594
	Mod. N1; 1100 lpm; 132 print positions	38,140	270.00	983	904	826
1416	Interchangeable Train Cartridge (required for 1403 Mod. N1)	2,665	Time & mat'ls.	101		
4740	Interchangeable Chain Cartridge Adapter (for 1403 Mod. 2 or 7)	2,030	No charge	80	74	67
8640	Universal Character Set Feature (for 1403 Mod. N1)	426	2.00	10	9	8
8641	Universal Character Set Feature (for 1403 Mod. 2)	299	2.00	10	9	8
1443	Printer (with control), Mod. N1; 240 lpm	41,000	119.00	954	878	801
3211	Printer; 2000 lpm, 132 print positions	63,630	462.00	1,905	1,753	1,600
3216	Interchangeable Train Cartridge (for 3211)	10,530	233.00	392		
5554	18 Additional Print Positions (for 3211)	2,050	9.50	60	55	50
3811	Control Unit (for 3211 Printer)	28,080	157.00	841	774	706
5553	18 Additional Print Positions (for 3811)	752	5.50	21	19	18
3203	Printer:					
	Model 1; 600 lpm; for Models 115, 115-2, 125, and 125-2	34,200	217.00	1,035	—	881**
	Model 2; 1200 lpm; for Models 115, 115-2, 125, and 125-2	44,100	282.00	1,357	—	1,155**
	Model 4; 1200 lpm; for Models 138 and 148	44,100	282	1,357	—	1,155**
1416	Interchangeable Train Cartridge (required on 3203 Model 1 or 2)	2,665	Time & mat'ls.	101		
4650	Integrated 3203 Printer Attachment for Model 125 Processing Unit	6,505	16.50	173		
5203	Printer, Model 3	12,800	151.00	488		
3475	Dual Feed Carriage	3,365	23.00	88		
4740	Interchangeable Train Cartridge	2,145	39.00	123		
5558	24 Additional Print Positions	1,180	2.00	59		
5559	12 Additional Print Positions	587	No charge	29		
5560	36 Additional Print Positions	1,750	2.00	88		
4653	Integrated 2302/5203 Printer Attachment for Model 115 Processing Unit	3,230	8.50	88		
5213	Printer, Model 1; optional Console Printer for Model 115 and Model 125	4,840	52.50	179		
4692	5213 Attachment (for Model 115 and Model 125)	4,200	3.50	112		
3800	Printing Subsystem	310,000	445.00	7,344	—	6,250**
5401	Additional Character Generation Storage	3,720	13.50	81	—	69**
8170	Two-Channel Switch	8,140	10.50	213	—	181**
1490	Burster-Trimmed-Stacker	44,640	120.00	1,058	—	900**
<b>PAPER TAPE INPUT/OUTPUT</b>						
2826	Paper Tape Control, Mod. 1; for up to two 1017's and/or 1018's	13,140	33.00	297		
5801	Punch Adapter; for first 1018 on 2826 Mod. 1	4,535	8.50	104		
5802	Punch Adapter; for second 1018 on 2826 Mod. 1	3,870	5.00	88		
6101	Reader Adapter; for first 1017 on 2826 Mod. 1	3,870	7.50	88		
6102	Reader Adapter; for second 1017 on 2826 Mod. 1	3,175	5.00	73		
1017	Paper Tape Reader (120 char/sec):					
	Mod. 1; reads strips only	2,135	16.00	54		
	Mod. 2; reads strips or reels	3,265	20.00	81		
1018	Paper Tape Punch (120 char/sec)	4,950	44.00	135		
2822	Paper Tape Reader Control (for one 2671)	8,630	10.00	235		
2671	Paper Tape Reader (100 char/sec)	5,785	28.50	156		
<b>OPTICAL AND MAGNETIC READERS</b>						
1287	Optical Reader:					
	Mod. 1; reads documents only	89,280	881.00	2,975		
	Mod. 2; reads documents and journal tape	102,240	991.00	3,350		
	Mod. 3; reads documents only	134,640	1,265	4,505		
	Mod. 4; reads documents and journal tape	150,480	1,320.00	4,930		
	Mod. 5; reads handprinted digits from documents only	99,360	1,275.00	3,670		
3945	Farrington 7B Font (for 1287)	799	1.00	27		
4470	1428 & USASCOCR Font (for 1287)	799	1.00	27		
5300	NCR Optical Type Font (for 1287)	3,204	5.00	104		
5370	Numeric Handwriting (for 1287)	25,632	55.00	837		
5479	Optical Mark Reading (for 1287)	3,204	5.00	104		

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.  
 \*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

**IBM System/370  
EQUIPMENT PRICES**

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>	<u>Rental (12-month lease)*</u>	<u>Rental (24-month lease)*</u>
<b>OPTICAL AND MAGNETIC READERS (Continued)</b>						
1288	Optical Page Reader	163,440	1,340.00	5,140		
3850	Expanded Symbol Set (for 1288)	2,240	3.50	73		
5370	Numeric Handwriting (for 1288)	38,448	82.00	1,050		
5479	Optical Mark Reading (for 1288)	3,772	7.50	104		
6550	Serial Numbering (for 1288)	9,144	66.00	313		
3881	Optical Mark Reader:					
	Mod. 1; for on-line use with Model 135 or 145	51,390	138.00	1,504	—	1,280**
	Mod. 2; for off-line use with 3410 Mod. 1 Magnetic Tape Unit	46,800	109.00	1,369	—	1,165**
1471	BCD Read (for 3881)	2,150	1.50	61	—	52**
3450	Document Counters (for 3881)	853	2.00	22	—	19**
3550	Dual Density (for 3881 Mod. 2 only)	5,410	0.50	156	—	133**
3801	Expanded Storage (for 3811)	2,150	0.50	61	—	52**
6451	Serial Numbering (for 3881)	6,325	25.00	183	—	156**
3886	Optical Character Reader:					
	Model 1; on-line	83,520	523.00	2,591	—	2,205**
	Model 2; off-line	89,910	523.00	2,791	—	2,375**
3210	Additional Data Storage (for 3886)	844	0.50	25	—	21**
4520	Additional Hopper & Stacker Capacity (for 3886)	6,785	27.50	209	—	178**
4610	Additional Instruction Storage (for 3886)	4,220	11.50	132	—	112**
4720	Line Marking (for 3886)	4,680	11.50	143	—	122**
5340	Numbering/Marking Adapter (for 3886)	1,280	0.50	36	—	31**
5360	Numeric Handprinting (for 3886)	5,510	31.50	170	—	145**
6450	Serial Numbering (for 3886)	6,785	27.50	209	—	178**
3890	Document Processor:					
	Model A1; 6 pockets	256,800	155.00***	4,494	—	3,825
	Model A2; 12 pockets	299,800	185.00***	5,211	—	4,435
	Model A3; 18 pockets	342,800	215.00***	5,928	—	5,045
	Model A4; 24 pockets	385,800	245.00***	6,645	—	5,655
	Model A5; 30 pockets	428,800	275.00***	7,361	—	6,265**
	Model A6; 36 pockets	471,900	305.00***	8,078	—	6,875
4666	Item Numbering/Endorsing (for 3890)	46,290	143.00	740	—	630**
6370	System/370 Attachment (for 3890)	4,070	8.50	103	—	88**
1255	Magnetic Character Reader:					
	Mod. 1; 500 dpm, 6 stackers	35,460	251.00	904		
	Mod. 2; 750 dpm, 6 stackers	40,590	400.00	1,100		
	Mod. 3; 750 dpm, 12 stackers	55,260	527.00	1,450		
3215	Dash Symbol Transmission (for 1255)	35	No charge	56 (1-time)		
4380	51-Column Card Sorting (for 1255)	661	No charge	16		
4520	High-Order Zero & Blank Selection (for 1255 Mod. 3 only)	1,315	5.00	33		
7060	Self-Checking Numbers (for 1255)	2,135	2.50	54		
6360	System/360/370 Adapter (required on 1255)	19,800	37.00	506		
1419	Magnetic Character Reader; 1600 dpm	120,100	331.00	2,665		
<b>GRAPHIC DISPLAYS</b>						
2250	Display Unit:					
	Mod. 1; connects directly to a channel	57,530	198.00	1,185		
	Mod. 3; requires 2840 Display Control	34,830	223.00	1,740		
1245	Alphanumeric Keyboard (for 2250 Mod. 1 or 2)	3,910	4.50	81		
4785	Light Pen (for 2250 Mod. 1 or 2)	5,220	13.00	108		
1001	Absolute Vectors (for 2250 Mod. 2)	15,210	12.00	381		
1002	Absolute Vectors and Control (for 2250 Mod. 1)	17,410	13.00	437		
1498	Buffer; 4,096 bytes (for 2250 Mod. 1)	18,290	8.50	381		
1499	Buffer; 8,192 bytes (for 2250 Mod. 1)	26,110	12.00	544		
1880	Character Generator (for 2250 Mod. 1)	19,610	18.50	409		
NOTE:	Numerous IBM terminals can be connected to a System/370 in local and/or remote configurations. For details and prices, please see Reports 70D-491-02 through 70D-491-45 in the Peripherals section.					
<b>AUDIO RESPONSE</b>						
7770	Audio Response Unit (up to 4 lines)	48,370	46.00	1,295		
4677	I/O Line Expander (for 7770; up to 4 more lines)	7,065	14.50	190		
4679	I/O Line Panel (for 7770; one 4679 required for each 8 lines beyond the first 8)	3,020	2.00	81		
4668	I/O Line Frame (for 7770; required for over 16 lines)	8,065	2.50	217		
8721	Six Additional Vocabulary Words (for 7770)	4,030	2.50	108		
<b>COMMUNICATION CONTROLS</b>						
2701	Data Adapter Unit	7,915	20.00	224		
2711	Line Adapter Unit	6,610	26.50	145		
NOTE:	Please refer to Report 70D-491-30 for detailed pricing data on the 2701, 2702, and 2703 Transmission Controls. For complete pricing data on the newer 3704 and 3705 Communications Controllers, please see Reports 70D-491-31 and 70D-491-32.					

\* Rental prices include equipment maintenance; 12-month and 24-month leases permit unlimited usage at no additional cost.  
 \*\*Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).  
 \*\*\*Basic maintenance charge. Additional charges per meter hour.

## IBM System/370

## SOFTWARE PRICES

## Monthly Use Charge

	DOS	DOS/VS	OS/MFT	OS/VS1	OS/MVT	OS/VS2 (SVS)	OS/VS2 (MVS)
<b>PROGRAM PRODUCTS—SYSTEMS</b>							
APL-VS	—	400V	—	400V	—	—	400V
Assembler H	—	—	247V	247V	247V	—	247V
TSO Assembler Prompter	—	—	—	—	32R	32V	32V
BASIC-VS	—	385V	—	385V	—	385V	385V
ITF BASIC*	132R	132R	132R	132R	132R	132R	132R
Full ANS COBOL Version 3 Compiler and Library	85R	—	—	—	—	—	—
Full ANS COBOL Library Version 3	22R	—	—	—	—	—	—
Full ANS COBOL Version 4 Compiler and Library	—	—	201R	201V	201R	201V	201V
Full ANS COBOL Library Version 4	—	—	68R	68V	68R	68V	68V
DOS/VS COBOL	—	141V	—	—	—	—	—
OS/VS COBOL and Library	—	—	—	236V	—	236V	236V
OS/VS COBOL Library	—	—	—	78V	—	78V	78V
TSO COBOL Prompter	—	—	—	—	32R	32V	32V
COBOL Interactive Debug (TSO)	—	—	—	254R	—	254V	254V
Customer Information and Control System (CICS) Entry	235R	235V,R	—	—	—	—	—
Full Customer Information and Control System (CICS) Version 2/Standard	588R	588V,R	823R	823V,R	823R	823V,R	—
Full Customer Information and Control System for Virtual Storage (CICS/VS)	—	475V	—	1,000V	—	1,000V	1,000V
FASTER LC	110R	110V	—	—	—	—	—
FASTER MT	328R	328V	520R	520V	520R	520V	—
FORTRAN IV (G1) Compiler	—	—	74R	74V	74R	74V	74V
FORTRAN IV (H Extended) Compiler	—	—	300R	300V	300R	300V	300V
FORTRAN IV Library (Mod 1)	—	—	71R	71V	71R	71V	71V
FORTRAN IV Library (Mod II)	—	—	102R	102V	102R	102V	102V
TSO FORTRAN Prompter	—	—	—	—	32R	32V	32V
Code and Go FORTRAN Compiler	—	—	302R	302V	302R	302V	302V
FORTRAN Interactive Debug	—	—	—	—	173R	173V	173V
FORTRAN IV Library Option 1	33R	33V	—	—	—	—	—
FORTRAN-VSPC	—	400V	—	400V	—	400V	400V
Generalized Information System (GIS)/2, GIS/VS	—	—	520 to 1,876R	907 to 1,926V	907 to 1,926V	907 to 1,926V	907 to 1,926V
GIS DL/1 Query Support Feature	—	—	170R	170V	170R	170V	170V
Information Management System (IMS) Version 2	—	—	646R	646R	646R	646V,R	646V
IMS Data Communications Feature	—	—	700R	700R	700R	700R	700V
Information Management System for Virtual Storage (IMS/VS)	—	—	—	950V	—	950V	950V
IMS/VS Data Communications Feature	—	—	—	1150V	—	1150V	1150V
IMS Interactive Query Facility (IQF)	—	—	352R	352V	352R	352V	352V
PL/1 Optimizing Compiler	210R	210V	210R	210V	210R	210V	210V
PL/1 Optimizing Compiler and Libraries	283R	283V	283R	283V	283R	283V	283V
PL/1 Checkout Compiler	—	—	392R	392V	392R	392V	392V
PL/1 Resident Library	45R	45V	45R	45V	45R	45V	45V
PL/1 Transient Library	28R	28V	28R	28V	28R	28V	28V
ITF PL/1*	132R	132V	132R	132R	132R	132R	132R
RPG II	109R	109V	—	—	—	—	—
RPG II Auto Report Feature	33R	33V	—	—	—	—	—
Sort/Merge SM1	43R	43V	66R	66V	66R	66V	66V
Sort/Merge DOS/VS	—	68V	—	—	—	—	—
TSO Data Utilities	—	—	—	—	159R	159V	159V
VIDEO/370	224R	224R	224R	224R	224R	224R	224R
Virtual Storage Personal Computing (VSPC)	—	900V	—	1100V	—	1200V	1200V
ACF/NCP/VS	—	100V	—	100V	—	100V	100V
SSP	—	50V	—	50V	—	50V	50V
ACF/TCAM	—	—	—	200V	—	200V	200V
Multisystem networking feature	—	—	—	800V	—	800V	800V
ACF/VTAM	—	125V	—	200V	—	200V	200V
Multisystem networking feature	—	325V	—	600V	—	600V	600V
Network Operation Support Program (NOSP)	—	125V	—	125V	—	125V	125V
NJE/JES2	—	—	—	—	—	—	NC
TCAM-IMS/VS	—	—	—	500V	—	—	—
<b>PROGRAM PRODUCTS—APPLICATIONS</b>							
Fashion Reporter System	181R	181V	—	—	—	—	—
Consumer Goods System—Allocation	165R	165V	165R	165V	165R	165V	—
Consumer Goods System—Forecasting	220R	220V	220R	220V	220R	220V	—

\* Either ITF PL/1 or ITF BASIC as first language costs \$132/month; as a second language, the charge is \$66/month.

V: Program runs in virtual (paged) mode.

R: Program runs in virtual=real (nonpaged) mode.

NOTE: V, R indicates that a program can run in either mode; in this case, virtual execution is generally intended for testing and small-volume operational use where the benefits of virtual storage are more important than high-volume throughput.

IBM System/370  
SOFTWARE PRICES

Monthly Use Charge

	DOS	DOS/VS	OS/MFT	OS/VS1	OS/MVT	OS/VS2 (SVS)	OS/VS2 (MVS)
<b>PROGRAM PRODUCTS—APPLICATIONS (Continued)</b>							
Order Allocation System	137R	—	—	—	—	—	—
Coursewriter III Version 3	231R	231V,R	317R	317V,R	317R	317V,R	317V
Financial Terminal System	441R	—	—	—	—	—	—
Brokerage Acct. System Elements	—	963R	—	—	—	—	—
Active Certificate Info.	330R	—	—	—	—	—	—
Alpha Search Inquiry System	—	231V	—	231V	—	231V	231V
Automatically Programmed Tool (APT)—BC	—	226V	—	—	—	—	—
Automatically Programmed Tool (APT)—IC	—	—	—	346V	—	346V	346V
Automatically Programmed Tool (APT)—AC	—	—	—	578V	—	578V	578V
Budgets and Plans Generator (BUDPLAN)	—	170V	173V	173V	173V	173V	173V
Business Analysis/Basic	55R	55V	55R	55V	55R	55V	55V
Budget Accounting Information System (BACIS)	300R	300V	—	—	—	—	—
Shared Laboratory Info. System	275R	—	—	—	—	—	—
Capacity Planning Infinite Loading	82R	82V	110R	110V	110R	110V	110V
Capacity Planning Finite Loading	247R	247V	302R	302V	302R	302V	302V
Requirements Planning Interface	28R	28V	—	—	—	—	—
Requirements Planning	—	—	231R	231V	231R	231V	231V
Inventory Control	—	—	201R	201V	201R	201V	—
Data Base Organization & Maintenance Proc. (DBOMP)	115R	115V	—	—	—	—	—
Shop Floor Control	115R	115V	179R	179V	179R	179V	179V
Advanced Life Information System V2	551R	551R	—	—	—	—	—
Consolidated Functions Ordinary (CFO) II	346R	—	346R	—	346R	—	—
Property and Liability Info. System Additional Functions	346R	346V	—	—	—	—	—
PALIS Additional File Facility	288R	288V	—	—	—	—	—
PALIS Automobile Enhancements	259R	259V	—	—	—	—	—
PALIS Homeowner's Enhancements	259R	259V	—	—	—	—	—
Fare Quote/Ticketing (PARS) with Tariff Maintenance	9,690R	—	—	—	—	—	—
Vehicle Scheduling—Extended	115R	115V	201R	201V	201R	201V	201V
GPSS V	63R	63V	63R	63V	63R	63V	63V
Planning System Generator II	87R	87V	97R	—	87R	—	—
Forecasting and Modeling System	231R	231V	231R	231V	231R	231V	231V
Graphic Analysis of Three-Dimensional Data	—	—	330R	—	330R	—	—
Health Care Support/ECG	405R	405V	405R	405V	405R	—	405V
Health Care Support/Accounting	—	341V	—	—	—	—	—
DBOMP-CICS Interface	85R	85V, R	—	—	—	—	—
Electronic Circuit Analysis Program	—	—	187R	—	187R	—	—
Check Processing Control System	—	—	1,000R	1,000V	1,000R	1,000V	1,000V
Telecommunications Control System	—	—	2,890R	2,890V	2,890R	2,890V	2,890V
Securities Order Matching	—	—	2,425R	2,425R	2,425R	2,425R	2,425R
STAT/BASIC	50R	50R	50R	50R	50R	50V	50V
Display Management System	—	360V	—	475V	—	475V	475V
Procedure Library Mathematics	—	—	102R	102V	102R	102V	102V
Mathematical Programming System Extended	—	—	150R	150V	150R	150V	150V
MPS Upper Bound Feature	—	—	737R	737V	737R	737V	737V
Project Management System, V4	—	—	442R	442R	442R	442R	442R
MINIPERT	165R	—	165R	—	165R	—	—
Continuous System Modeling	—	—	98R	98V	98R	98V	98V
Bill Processor Sys IMS/360 Bridge**	—	—	173R	—	173R	—	—
EPIC—Socrates	192R	192V	192R	192V	192R	192V	192V
EPIC—Fast	104R	104V	104R	104V	104R	104V	104V
EPIC—Budget/Finance	121R	121V	121R	121V	121R	121V	121R
EPIC—Student	87R	87V	87R	87V	87R	87V	87V
Interactive Training System (ITS)	—	—	247R	247R	247V, R	247V, R	247V
ITS Course Structuring Feature	—	—	75R	75V, R	75V, R	75R	75V
Math/BASIC ITF	50R	50R	50R	50R	50R	50R	50V
Subroutine Library Mathematics	101R	101V	101R	101V	101R	101V	101V
STAIRS	600R	600R	578R	737V, R	578R	737V, R	737V
SIMPL/1 (5734-XXB)	—	—	275R	—	275R	—	—
Energy Management System	—	—	—	4,865R	—	—	—
Advanced Text Management System (ATMS)	—	396V	—	567V	—	567V	567V
ATMS II	—	590V	—	850V	—	850V	850V
Array Processing Subroutine	—	—	—	330R	—	330R	—
Chained File—DL/1 Bridge	—	315V	—	315V	—	315V	315V
DB/DC Data Dictionary	—	290V	—	580V	—	580V	580V
Data Base Design Aid	—	200V	—	200V	—	200V	200V
Data Language/1 DOS/VS	—	346V	—	—	—	—	—
DL/1 Entry	—	315V	—	—	—	—	—
Electronic Payment/Check Proc. (DOSCHECK)	—	800V	—	—	—	—	—
Freight & Equip. Reporting System (FERST/VS)	—	525 to 5,145	—	525 to 5,145V	—	—	—
Life Inquiry/Data Entry	—	840V	—	840V	—	840V	840V
Machining & Display Application Program (MDAP)	—	340V	—	340V	—	340V	340V
PLANCODE/1	—	550R	—	550R	—	550R	550R
PLANCODE/S	—	450R	—	450R	—	450R	450R
Program Customizer for 3600 Finance Comm. System (PC/3600)	—	550V	—	997V	—	997V	997V
PROJACS	—	210 to 419V	—	210 to 419V	—	210 to 419V	210 to 419V
Structured Programming Facility—TSO-3270	—	—	—	—	—	288V	288V