
SOFTWARE ISUBSCRIPTION: TXDS OBJECT !SUB, NUMBER: 937879-0003 SUBSCRIPTION !UPDATE FROM 5-15-78 TO 10-18-78 !MEDIA: DISKETTE UPDATE! SHEET 1 OF 1 !DESCRIPTION OF CHANGES: PART ! DESCRIPTION ! CONTAINED 'CHANGED'! OF CHANGE ! IN PACKAGE! TX990 & !The attached Update Document (2250086-9901) 1 936035\*M TXDS !describes Release 2.3 of TX990 and TXDS. !Please note that the part numbers of the !diskettes have changed as follows: from 937803-0001 to 2250446-1601 from 937803-0002 to 2250446-1602 from 937803-0003 to 2250446-1603 from 937803-0006 to 2250446-1604 from 937803-0005 to 2250446-1605 from 937803-0007 to 2250446-1606 !Four new diskettes have been added to the ! Package: 2250446-1607 2250446-1608 2250446-1609 2250446-1640 LIST OF MATERIALS: 1. 2250086-9901-\*\* Update Document, TXDS, Release 2.3 2. 2250084-9901-\*\* Release Information, TXDS, Release 2.3 3. 946253-9701 TXDS Manual, issue dated 1 September 1978 946259-9701 TX990 Manual, issue dated 1 September 1978 944774-9701 TX990 System Doc. Manual, Change 2 Package dated 1 September 1978 6. 943441-9701 Assembly Language Manual, issue dated 15 October 1978 7. 2261734-0001-\*C Product Documentation Package, TXDS Object 8. 2261731-9701 TXDS Object Installation, issue dated 1 Sept. 1978 9. 2250446-1601,1602,1603,1604,1605,1606,1607,1608,1609,1640-\*\* TXDS Object Diskettes 110. 949617-9701 Link Editor Reference Manual, Issue dated 15 October 1978



TXDS release 2.3.0 is now available. The purpose for this release is to 1) fix the major known problems, and 2) modify the header information to include the release number, version number, ECN number, and the date the utility was released.

The corrections made to each utility are:

- TXMIRA A jump instruction can now be used after an AORG directive without receiving a syntax error message. If no end directive is found in the source input, one will be provided and a warning message printed in the list file.
- TXCCAT Two new capabilities were added. The first will allow an ANSII standard print file to be correctly copied to a print device. The "AF" option will direct the utility to use the first character of each record as an ANSII carriage control character. The second will allow a user to abort the utility at any time in the process. In order to use this feature, a special system must be generated which include the EVENTK task to process the event key SVC.
- GENTX Changes were made to this utility to support the new TX990 updates.
- TXPROM Changes were made to correct all known problems, and speedup the time required to produce some of the proms.
- BACKUP Changes were made to correct all known problems.
- BNPFHL Changes were made to correct all known problems.
- IBMUTL Was changed to support multi-volume diskettes.

All other utilities were modified to contain a copyright statement as part of the object in the form of a text string.

Α